




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : H04M 1/64, 11/00, 3/42, H04Q 7/20, G06F 5/00, 17/30		A1	(11) International Publication Number: WO 00/48377 (43) International Publication Date: 17 August 2000 (17.08.00)
(21) International Application Number: PCT/IL00/00085		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).	
(22) International Filing Date: 10 February 2000 (10.02.00)			
(30) Priority Data: 128471 10 February 1999 (10.02.99) IL			
(71) Applicant (for all designated States except US): VARICOM COMMUNICATIONS LTD. [IL/IL]; She'erit Israel Street 37, 68185 Tel Aviv (IL).			
(72) Inventor; and		Published	
(75) Inventor/Applicant (for US only): KAFRI, Oded [IL/IL]; Herzl Street 16, 84160 Beer Sheva (IL).		With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.	
(74) Agent: EITAN, PEARL, LATZER & COHEN-ZEDEK; 2 Gav Yam Center, Shenkar Street 7, 46725 Herzlia (IL).			

(54) Title: A METHOD FOR TELEPHONIC SERVICE TO SEND E-MAIL

(57) Abstract

A method and a server for sending an e-mail message from a telephone is provided. The method includes the steps of a sender dialing a pre-allocated service number associated with a server (202), appending the telephone number associated with the addressee to the dialed service number and transmitting a voice message (204), the voice message being converted to an attached wave file in e-mail format by the server (208) and the server sending e-mail format message via the Internet to said addressee's associated e-mail address (216).



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

A METHOD FOR TELEPHONIC SERVICE TO SEND E-MAIL

FIELD AND BACKGROUND OF THE INVENTION

Sending e-mail is of great importance and is one of the major uses of the Internet.

5 Forwarding of e-mail to a fax is well known and an example can be seen in the functions of software such as Microsoft's "Outlook" application. Forwarding of e-mail to a telephone is also known, such as the Mailpush service provided by several cellular telephone companies, for example, as described on their web site (<http://www.mailpush.com>). In this method a server computer checks the e-mail 10 box of each registered client and forwards the e-mail to the mailbox owner's telephone and reads the text through the voice modem or CTI card (for example Dialogic's Proline/2V or Dialogic/4, Dialogic Corporation, 1115 Route Ten, Parsippany, N.J. 070-4596, USA).

A voice message can be transmitted as an attached wave file that can be 15 played to the telephone directly, or be converted to text using a Speech-to-text engine such as commercially available from IBM and Lernout & Hauspie). The receiver of the e-mail can record a reply wave file through the telephone and use the reply function of the e-mail software to send a reply via the telephone.

At present, people can only send e-mail if they have a computer and the 20 appropriate software and connection to an ISP (Internet Service Provider). Moreover, the sender needs to be able to operate the computer and the software. Many telephone users do not have computers or access to e-mail. Moreover, in order to send e-mail one requires the Internet address.

A method of sending voice messages between remotely located telephones and text messages as voice messages from a computer to remotely located telephones, utilizing e-mail properties, is also described in PCT Patent Application: PCT/IL99/00516, assigned to the Assignees of the present invention and incorporated herein by reference.

SUMMARY OF THE INVENTION

The present invention provides a method of sending e-mail through the telephone.

There is thus provided in accordance with a preferred embodiment of the invention, a method and a server for sending an e-mail message from a telephone is provided. The method includes the steps of a sender dialing a pre-allocated service number associated with a server, appending the telephone number associated with the addressee to the dialed service number and transmitting a voice message, the voice message being converted to an attached wave file in e-mail format by the server and the server sending the e-mail format message via the Internet to said addressee's associated e-mail address.

Furthermore, in accordance with a preferred embodiment of the invention, the attached wave file is compressed.

Furthermore, in accordance with a preferred embodiment of the invention, the addresses telephone number is converted to an e-mail address via a look-up table. The look-up table is stored within the server or is created by the sender and stored at an Internet web site.

Furthermore, in accordance with a preferred embodiment of the invention, the look-up table on the Internet web site includes the sender's telephone number and at least one email address. The look-up table further includes a security code.

There is also provided in accordance with a preferred embodiment of the invention, a server for forwarding incoming voice messages as e-mail messages. The server includes a Computer Telephone Integration (CTI) card, a converter in communication with the CTI card for converting incoming voice messages to email

format, a look-up table for associating the recipient's telephone number with the recipient's email address and a forwarder for sending the message to the recipient's email address.

BRIEF DESCRIPTION OF THE DRAWINGS

The present invention will be understood and appreciated more fully from the following detailed description taken in conjunction with the appended drawings, in which:

- 5 Fig. 1 is a schematic block diagram illustration of the server and method for sending email via the telephone service, constructed and operative in accordance with a preferred embodiment of the present invention; and
- Fig. 2 is a flow chart illustration of the method for sending email via the telephone.

DESCRIPTION OF THE PRESENT INVENTION

Reference is now made to Figs. 1 and 2. Fig. 1 is a schematic illustration of the method for sending email via the telephone service, constructed and operative in accordance with a preferred embodiment of the present invention.

5 Fig. 2 is a flow chart illustration of the method for sending email via the telephone.

According to a preferred embodiment of the present invention, the operation of the service utilizes a Proxy Server 20.

An user calls a special service number such as *100 or any legitimate keys provided by the PTT company (step 202) which is directed to the server 20.

10 The sender then dials the number of the person to whom he wishes to send e-mail (step 204). Then he records the message (step 206) and the voice message is converted to an attached wave file (preferably compressed) in e-mail format (step 208).

The telephone number is referenced against one or more e-mail addresses stored in a look-up table (LUT) (step 210) and the message is placed in the "To:" box of the e-mail (step 212). The "From:" box is fed by the caller's number, which is received by the system by means of the caller ID function of the public switch (step 214). The e-mail is then sent via the Internet 40 to the ISP in the regular manner as e-mail 42 (step 216).

20 The look-up table is a table that correlates a telephone number with one, or several, e-mail addresses. It can be created manually or preferably through the Internet 40.

In the Internet option, a special web site 50 is created by the service provider in which the user inserts his telephone number 52 and the e-mail address

54. In addition, a special security code 56, which is not public, is also preferably entered to avoid misusing this service by illegitimate users who wish to "steal" messages.

The server 20 is similar to the present Assignees T-Mailer service and
5 consists of a PC in which CTI cards which convert analogous voice data into digital data, for example, the DI60SC-LS card by Dialogic. These cards usually have the caller ID function which can detect and register the telephone number from which the call was made. When the CTI card receives a call, a special software prompts the caller to dial the addressee's number and record his message. The recorded
10 message is then compressed as a standard compressed wave file. The software prepares and transfers the e-mail to the e-mail software which can be in the server. The e-mail server may contain any e-mail software, for example, MS Outlook, Eudora, Outlook Express, or Lotus Notes. The message is then submitted as a regular e-mail through the Internet.

15 The server 20 is similar to the proxy server described in PCT Patent Application: PCT/IL99/00516 assigned to the Assignees of the present invention and incorporated herein by reference. The server 20 generally comprises a Computer Telephone Integration (CTI) card connected to a wave API (Application Program Interface) and a message storage device. The server 20 further
20 comprises components such as a voice proxy telephone server and a transport provider for receiving and forwarding voice/text messages.

A method for forwarding and storing a telephone call from a caller receiving a "no answer" or "busy" signal is described in PCT Patent Application:

PCT/IL99/00591, assigned to the Assignees of the present invention and incorporated herein by reference.

This present invention has many advantages over the present art. For example, e-mail can be send without the need for a computer with the appropriate software and a connection to an ISP and an Internet address. In the present 5 method, the Internet mail address is linked to the addressee's regular telephone number.

Another advantage is that people abroad who wish to obtain e-mail can put their telephone number in their country code along with their e-mail address 10 and obtain the e-mail at the cost of a local call.

Servers 20 can be placed all over the world and enable one to send e-mail through out the world at the price of a local call.

It will be further appreciated that the present invention is not limited by what has been described hereinabove and that numerous modifications, all of 15 which fall within the scope of the present invention, exist. Rather the scope of the invention is defined by the claims which follow:

CLAIMS

1. A method of sending an e-mail message from a telephone, comprising
the steps of:
 - a sender dialing a pre-allocated service number associated with a
5 server;
 - the sender appending the telephone number associated with the
addressee to the dialed service number ;
 - the sender transmitting a voice message
said voice message being converted to an attached .wave file in
10 e-mail format by the server; and
 - said server sending the e-mail format message via the Internet to said
addressee's associated e-mail address.
2. The method of claim 1, wherein the attached .wave file is compressed.
3. The method of claim 1, wherein the addresses telephone number is
15 converted to an e-mail address via a look-up table.
4. The method of claim 2, wherein the look-up table is stored within the
server.
5. The method of claim 2, wherein the look-up table is created by the
sender and stored at an Internet web site.
- 20 6. The method of claim 5, wherein the look-up table comprises the
sender's telephone number and at least one email address.

7. The method of claim 6, wherein the look-up table further comprises a security code.
8. A server for forwarding incoming voice messages as e-mail messages comprising:
 - 5 computer Telephone Integration (CTI) card;
 - a converter in communication with the CTI card for converting incoming voice messages to email format;
 - a look-up table for associating the recipient's telephone number with the recipient's email address and
 - 10 a forwarder for sending the message to the recipient's email address.
9. The server of claim 8, wherein the voice message is converted to an attached .wave file.
10. The server of claim 9, wherein the attached .wave file is compressed.
- 15 11. A method for converting a voice message to a recipient telephone number and sending it as an email message, comprising the steps of:
 - converting the voice message to an attached .wave file in e-mail format; and
 - obtaining the email address of the recipient from a look-up table in which the recipient telephone number is associated with at least one
- 20 e-mail address of the recipient.




Fig. 1




FIG. 2

INTERNATIONAL SEARCH REPORT

International application No.

PCT/IL00/00085

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) :H04M 1/64, 11/00, 3/42; H04Q 7/20; G06F 5/00, 17/30

US CL :Please See Extra Sheet.

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 379/67.1, 88.13, 88.17, 93.24, 100.08, 201,900; 455/417,445,461; 707/2,102

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched
none

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

East

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5,557,659 A (HYDE-THOMSON) 17 September 1996, Col. 12, line 55 through Col. 13, line 12.	1-11
X	US 5,717,742 A (HYDE-THOMSON) 10 February 1998, Figure 7.	1-11
X	US 5,608,786 A (GORDON) 04 March 1997, Col. 2, lines 18-43.	1,8,11
A	US 5,742,905 A (PEPE et al.) 21 April 1998, Col. 5, lines 54-67 and Col. 6, lines 1-51.	1-11
A	US 5,826,034 A (ALBAL) 20 OCTOBER 1998, Col. 2, lines 19-59.	1-11

 Further documents are listed in the continuation of Box C.

See patent family annex.

• Special categories of cited documents:	"T"	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
A document defining the general state of the art which is not considered to be of particular relevance	"X"	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
B earlier document published on or after the international filing date	"Y"	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"&"	document member of the same patent family
O document referring to an oral disclosure, use, exhibition or other means		
P document published prior to the international filing date but later than the priority date claimed		

Date of the actual completion of the international search

26 MAY 2000

Date of mailing of the international search report

20 JUN 2000

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

Allan Hoosain

Telephone No. (703) 305-4012

Fatima Regine Zagan

INTERNATIONAL SEARCH REPORT

International application No.

PCT/IL00/00085

A. CLASSIFICATION OF SUBJECT MATTER:

US CL :

379/67.1, 88.13, 88.17, 93.24, 100.08, 201,900; 455/417,445,461; 707/2,102